

AnkaScrew™ Xtrem™

Heavy Duty Anchors

Product Identifier Ankascrew™ Xtrem™ AS____X

Product description

Ramset™ AnkaScrew™ Xtrem™ is an ETA certified, seismic and fire rated, heavy duty screw-in anchor.

Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (b, d, e, f, g, h, i, j, p, q), B1.3.4

B2 Durability — B2.3.1 (a)

Contributions to compliance

For B1 Structure and B2 Durability, refer to the AnkaScrew™ Xtrem™ European Technical Assessment ETA-20-0730, and ETA-20-00731 listed in supporting documentation.

Scope of use

Ramset™ AnkaScrew™ Xtrem™ is an ETA certified, seismic and fire rated, heavy duty screw-in anchor. This removable anchor is well suited to close-to-edge or close-to-anchor fixing as it does not expand and burst the surrounding substrate.

Conditions of use

Installation of Ramset™ AnkaScrew™ Xtrem™ Anchors should be carried out by a skilled professional, in accordance with the manufacturer's installation instructions, found in the SARB.

Supporting documentation The following additional documentation supports the above statements:

| Title (type) | Version | URL |
|---|-----------------------|---|
| Ankascrew™ Xtrem™ SARB (Installation, Maintenance) | | https://ramset.co.nz/wp-content/uploads/2023/07/Ramset-SARB-ANZ-Ed.3-Ankascrew-Xtrem-SEISMIC-MECHANICAL-ANCHORS.pdf |
| AnkaScrew™ Xtrem™ ETA (Certification, Test results) | 20/0730 of 13/11/2020 | https://ramset.co.nz/wp-content/uploads/2023/07/Ramset_ETA_Ramset-AnkaScrew-Xtrem-ETA-20-0730-en.pdf |
| AnkaScrew™ Xtrem™ ETA (Certification, Test results) | | https://cdn.ramset.com.au/wp-content/uploads/2023/07/Ramset_ETA_Ramset-AnkaScrew-Xtrem-ETA-20-0731-en.pdf |

Contact details

| | |
|--|---|
| Manufacture location | Overseas |
| Legal and trading name of manufacturer | ITW Fastener Products GmbH* |
| Legal and trading name of importer | Ramset™ New Zealand |
| Importer address for service | 29 Poland Road, Auckland, 0627, New Zealand |
| Importer website | ramset.co.nz |
| Importer email | info@ramset.co.nz |
| Importer phone number | 0800 726 738 |
| Importer NZBN | 9429039833129 |

*on the basis that ITW Fastener Products GmbH partakes in the process of manufacture, involving design, quality/safety testing, importing, packaging and supplying the product in New Zealand.

Warnings and bans

This product line is not subject to any warning or ban under Section 26 of the Building Act 2004

AnkaScrew™ Xtrem™

Heavy Duty Anchors

Appendix - Building code performance clauses

All relevant building code performance clauses listed in this document:

B1 Structure

B1.3.1

Buildings, building elements and sitework shall have a low probability of rupturing, becoming unstable, losing equilibrium, or collapsing during construction or alteration and throughout their lives.

B1.3.2

Buildings, building elements and sitework shall have a low probability of causing loss of amenity through undue deformation, vibratory response, degradation, or other physical characteristics throughout their lives, or during construction or alteration when the building is in use.

B1.3.3

Account shall be taken of all physical conditions likely to affect the stability of buildings, building elements and sitework, including:

(b) imposed gravity loads arising from use

(d) earth pressure

(e) water and other liquids

(f) earthquake

(g) snow

(h) wind

(i) fire

(j) impact

(l) equipment, services, non-structural elements and contents

(q) time dependent effects including creep and shrinkage

B1.3.4

Due allowances shall be made for:

a. the consequences of failure,

b. the intended use of the building,

c. effects of uncertainties resulting from construction activities, or the sequence in which construction activities occur,

d. variation in the properties of materials and the characteristics of the site, and

e. accuracy limitations inherent in the methods used to predict the stability of buildings

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(a) the life of the building, being not less than 50 years, if:

i. those building elements (including floors, walls, and fixings) provide structural stability to the building, or

ii. those building elements are difficult to access or replace, or

iii. failure of those building elements to comply with the building code would go undetected during both normal use and maintenance of the building

For further information, please contact Ramset™

NZ - PHONE: 0800 RAMSET (726738) www.ramset.co.nz

AU - PHONE: 1300 780 063 www.ramset.com.au