

TruBolt™ Stud Anchors

Heavy Duty anchors

Product Identifier TruBolt™ Stud Anchor T____GH

Product description

The TruBolt™ Stud Anchor is a true-to-size, heavy duty, torque-controlled expansion anchor, for permanent anchoring into concrete.

Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (b, d, e, f, g, h, j, p, q), B1.3.4

B2 Durability — B2.3.1 (a)

Contributions to compliance

For B1 Structure and B2 Durability refer to the TruBolt™ Stud Anchor in the Specifiers Anchoring Resource Book ANZ Ed3 extract listed in supporting documentation. For additional information, refer to the entire Specifiers Anchoring Resource Book ANZ Ed3 available on Ramset™ website. Link below:

<https://cdn.ramset.com.au/wp-content/uploads/2023/07/SARB-Final-Interactive.pdf>

Scope of use

The TruBolt™ Stud Anchor diameter equals the required hole diameter, providing maximum shear capacity for hole size and making drill bit selection simple. Its cold forged construction ensures superior strength and reliability. The anchor design ensures maximum expansion of the sleeve and pull-down on the fixture. These actions are both further assisted by the application of load. The anti-rotation expansion sleeve is designed to grip the sides of the hole, preventing anchor rotation during installation.

Conditions of use

Installation of TruBolt™ Stud Anchors should be carried out by a skilled professional, in accordance with the manufacturer’s installation instructions, documented in the product catalogue.

Supporting documentation The following additional documentation supports the above statements:

Title (type)	Version	URL
TruBolt™ Stud Anchors Catalogue (Installation)		https://cdn.ramset.com.au/wpcontent/uploads/2023/07/ramset_T06055SSA_product-catalogue_-TruBolt%E2%84%A2-Stud-Anchors.pdf
TruBolt™ Stud Anchors - Specifiers Anchoring Resource Book ANZ Ed3 extract		https://cdn.ramset.com.au/wp-content/uploads/2023/07/Ramset-SARB-ANZ-Ed.3-TruBolt-STUD-ANCHORS.pdf

Contact details	
Manufacture location	Overseas
Legal and trading name of manufacturer	Ramset™ Australia
Legal and trading name of importer	Ramset™ New Zealand
Importer address for service	29 Poland Road, Auckland, 0627, New Zealand
Importer website	ramset.co.nz
Importer email	info@ramset.co.nz
Importer phone number	0800 726 738
Importer NZBN	9429039833129

Warnings and bans
This product line is not subject to any warning or ban under Section 26 of the Building Act 2004

TruBolt™ Stud Anchors

Heavy Duty anchors

Appendix - Building code performance clauses

All relevant building code performance clauses listed in this document:

B1 Structure

B1.3.1

Buildings, building elements and sitework shall have a low probability of rupturing, becoming unstable, losing equilibrium, or collapsing during construction or alteration and throughout their lives.

B1.3.2

Buildings, building elements and sitework shall have a low probability of causing loss of amenity through undue deformation, vibratory response, degradation, or other physical characteristics throughout their lives, or during construction or alteration when the building is in use.

B1.3.3

Account shall be taken of all physical conditions likely to affect the stability of buildings, building elements and sitework, including:

- (b) imposed gravity loads arising from use
- (d) earth pressure
- (e) water and other liquids
- (f) earthquake
- (g) snow
- (h) wind
- (i) fire
- (j) impact
- (l) equipment, services, non-structural elements and contents
- (q) time dependent effects including creep and shrinkage

B1.3.4

Due allowances shall be made for:

- a. the consequences of failure,
- b. the intended use of the building,
- c. effects of uncertainties resulting from construction activities, or the sequence in which construction activities occur,
- d. variation in the properties of materials and the characteristics of the site, and
- e. accuracy limitations inherent in the methods used to predict the stability of buildings

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

- (a) the life of the building, being not less than 50 years, if:
 - i. those building elements (including floors, walls, and fixings) provide structural stability to the building, or
 - ii. those building elements are difficult to access or replace, or
 - iii. failure of those building elements to comply with the building code would go undetected during both normal use and maintenance of the building

For further information, please contact Ramset™
NZ - PHONE: 0800 RAMSET (726738) www.ramset.co.nz
AU - PHONE: 1300 780 063 www.ramset.com.au